







GRAFIK PARAMETER POS KUALITAS AIR JARUM - S.DENGKENG 2020




|     | pH   |   | TDS |      | TSS  |    |
|-----|------|---|-----|------|------|----|
| FEB | 6.7  | 9 | 152 | 1000 | 5    | 50 |
| APR | 7.08 | 9 | 208 | 1000 | 48   | 50 |
| JUN | 7.86 | 9 | 285 | 1000 | 35.5 | 50 |
| AGS | 7.08 | 9 | 242 | 1000 | 81.5 | 50 |
| OKT | 7.61 | 9 | 248 | 1000 | 27   | 50 |
| NOP | 0    | 9 | 0   | 1000 | 0    | 50 |






|     | Fe     | Mn       | Zn       |      |
|-----|--------|----------|----------|------|
| FEB | 0.2481 | 0.1753   | < 0.0054 | 0.05 |
| APR | 0.024  | 0.0104   | 0.0061   | 0.05 |
| JUN | 0.0264 | < 0.0100 | < 0.0054 | 0.05 |
| AGS | 0.0304 | < 0.0100 | 0.013    | 0.05 |
| OKT | 0.095  | < 0.0100 | 0.0491   | 0.05 |
| NOP | 0      | 0        | 0        | 0.05 |






|     | Cd    |      | Pb    |      | Cu    |      |
|-----|-------|------|-------|------|-------|------|
| FEB | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |
| APR | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |
| JUN | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |
| AGS | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |
| OKT | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |
| NOP | 0.001 | 0.01 | 0.006 | 0.03 | 0.001 | 0.02 |






|     | Cr heksa |      | NO <sub>3</sub> |    | NO <sub>2</sub> |      |
|-----|----------|------|-----------------|----|-----------------|------|
| FEB | < 0.0024 | 0.05 | 1.318           | 10 | 0.005           | 0.06 |
| APR | < 0.0024 | 0.05 | 1.882           | 10 | 0.0052          | 0.06 |
| JUN | < 0.0024 | 0.05 | 2.461           | 10 | 0.0069          | 0.06 |
| AGS | 0.0046   | 0.05 | 0.7535          | 10 | 0.1359          | 0.06 |
| OKT | 0.0032   | 0.05 | 0.4231          | 10 | 0.0776          | 0.06 |
| NOP | 0        | 0.05 | 0               | 10 | 0.000           | 0.06 |






|     | NH <sub>3</sub> | PO <sub>4</sub> | COD |       |    |
|-----|-----------------|-----------------|-----|-------|----|
| FEB | 0.0004          | 0.1722          | 0.2 | 24.42 | 25 |
| APR | 0.0007          | 0.1278          | 0.2 | 46.45 | 25 |
| JUN | 0.014           | 0.082           | 0.2 | 28.54 | 25 |
| AGS | 0.002           | 0.2856          | 0.2 | 12.81 | 25 |
| OKT | 0.0063          | 0.0241          | 0.2 | 23.18 | 25 |
| NOP | 0               | 0               | 0.2 | 0     | 25 |



|     | BOD  |   | Cl   | Ni       |      |
|-----|------|---|------|----------|------|
| FEB | 4.98 | 3 | 26.7 | < 0.0127 | 0.02 |
| APR | 5.1  | 3 | 5    | < 0.0127 | 0.02 |
| JUN | 5.9  | 3 | 11.1 | < 0.0127 | 0.02 |
| AGS | 2.77 | 3 | 23.8 | < 0.0127 | 0.02 |
| OKT | 4.9  | 3 | 4.8  | 0        | 0.02 |
| NOP | 0    | 3 | 0    | < 0.0127 | 0.02 |



|     | Ca    | Fluorida | Co |          |   |
|-----|-------|----------|----|----------|---|
| FEB | 119.9 | < 0.0158 | 0  | < 0.0062 | 0 |
| APR | 1.547 | 0.3556   | 0  | < 0.0062 | 0 |
| JUN | 4.432 | 0.3471   | 0  | < 0.0062 | 0 |
| AGS | 6.377 | 0.273    | 0  | < 0.0062 | 0 |
| OKT | 6.026 | 0.5218   | 0  | < 0.0062 | 0 |
| NOP | 0     | 0        | 0  | 0        | 0 |



|                  | Feb      | Apr      | Jun      | Ags      | Okt      | Nov |
|------------------|----------|----------|----------|----------|----------|-----|
| Temperatur       | 26.6     | 26.7     | 26.2     | 27.2     | 29       |     |
| TDS              | 152      | 208      | 285      | 242      | 248      |     |
| TSS              | 5        | 48       | 35.5     | 81.5     | 27       |     |
| pH               | 6.7      | 7.08     | 7.86     | 7.08     | 7.61     |     |
| Fe               | 0.2481   | 0.0242   | 0.0264   | 0.0304   | 0.0946   |     |
| Mn               | 0.1753   | 0.0104   | < 0.0100 | < 0.0100 | < 0.0100 |     |
| Cd               | < 0.0018 | < 0.0018 | < 0.0018 | < 0.0018 | 0.0018   |     |
| Zn               | < 0.0054 | 0.0061   | < 0.0054 | 0.013    | 0.0491   |     |
| Pb               | 0.0021   | 0.0023   | 0.0018   | < 0.0015 | < 0.0015 |     |
| Cu               | < 0.0164 | < 0.0164 | < 0.0164 | < 0.0164 | < 0.0164 |     |
| Cr <sup>6+</sup> | < 0.0024 | < 0.0024 | < 0.0024 | 0.0046   | 0.0032   |     |
| Nitrat           | 1.318    | 1.882    | 2.461    | 0.7535   | 0.4231   |     |
| Nitrit           | 0.005    | 0.0052   | 0.0069   | 0.1359   | 0.0776   |     |
| NH <sub>3</sub>  | 0.0004   | 0.0007   | 0.014    | 0.002    | 0.0063   |     |
| PO <sub>4</sub>  | 0.1722   | 0.1278   | 0.082    | 0.2856   | 0.0241   |     |
| COD              | 24.42    | 46.45    | 28.54    | 12.81    | 23.18    |     |
| BOD              | 4.98     | 5.1      | 5.9      | 2.77     | 4.9      |     |
| Cl               | 26.7     | 5        | 11.1     | 23.8     | 4.8      |     |
| Ni               | < 0.0127 | < 0.0127 | < 0.0127 | < 0.0127 | < 0.0127 |     |
| Ca               | 119.9    | 1.547    | 4.432    | 6.377    | 6.026    |     |
| Fluorida         | < 0.0158 | 0.3556   | 0.3471   | 0.273    | 0.5218   |     |
| Co               | < 0.0062 | < 0.0062 | < 0.0062 | < 0.0062 | < 0.0062 |     |