







GRAFIK PARAMETER POS KUALITAS AIR JARUM - S.DENGKENG 2022




	pH		TDS		TSS	
FEB	7.65	9	276	1000	159	50
APR	7.11	9	285	1000	51	50
JUN	7.95	9	220	1000	118	50
AGS	7.83	9	266	1000	25	50
OKT	7.43	9	216	1000	73.8	50
NOP	7.05	9	296	1000	51	50






	Fe	Mn	Zn	
FEB	1.292	0.6627	0.0077	0.05
APR	0.474	0.0637	0.01	0.05
JUN	0.007	0.0074	0.0077	0.05
AGS	0.007	0.0746	0.0077	0.05
OKT	0.020	0.0074	0.0077	0.05
NOP	0.0983	0.2492	0.0077	0.05






	Cd		Pb		Cu
FEB	0.001	0.01	0.006	0.03	0.001
APR	0.001	0.01	0.006	0.03	0.001
JUN	0.001	0.01	0.006	0.03	0.001
AGS	0.001	0.01	0.006	0.03	0.001
OKT	0.001	0.01	0.006	0.03	0.001
NOP	0.001	0.01	0.006	0.03	0.001






	Cr heksa		NO ₃		NO ₂	
FEB	0.0032	0.05	1.178	10	0.007	0.06
APR	0.003	0.05	1.612	10	0.0342	0.06
JUN	0.0041	0.05	2.112	10	0.0173	0.06
AGS	0.0043	0.05	1.061	10	0.0038	0.06
OKT	0.0063	0.05	1.682	10	0.0073	0.06
NOP	0.003	0.05	1.309	10	0.008	0.06






	NH ₃	PO ₄	COD			
FEB	0.0095	0.2	0.118	0.2	21.26	25
APR	0.0016	0.2	0.2299	0.2	22.8	25
JUN	0.0184	0.2	0.3657	0.2	26.52	25
AGS	0.0142	0.2	0.1821	0.2	24.45	25
OKT	0.0077	0.2	0.2045	0.2	27.08	25
NOP	0.0006	0.2	0.2558	0.2	23.52	25



	BOD		Cl		Ni	
FEB	4.2	3	10.9	300	0.0083	0.02
APR	4.21	3	11.5	300	0.0083	0.02
JUN	5.71	3	11.7	300	0.0083	0.02
AGS	4.67	3	13.1	300	0.0083	0.02
OKT	5.05	3	14.5	300	0.0083	0.02
NOP	4.91	3	12.6	300	0.0083	0.02



	Ca		Fluorida		Co	
FEB	14.26	50	0.3805	1.5	0.0071	0.2
APR	10.85	50	0.3124	1.5	0.0071	0.2
JUN	16.43	50	0.3818	1.5	0.0255	0.2
AGS	37.7	50	0.6264	1.5	0.0071	0.2
OKT	31.54	50	0.3657	1.5	0.0126	0.2
NOP	30.22	50	0.4075	1.5	0.0071	0.2



	Feb	Apr	Jun	Ags	Okt	Nov
Temperatur	28.4	28.5	28.4	28.5	28.3	28.9
TDS	276	285	220	266	216	296
TSS	159	51	118	25	73.8	51
pH	7.65	7.11	7.95	7.83	7.43	7.05
Fe	1.292	0.4738	0.007	0.007	0.0203	0.0983
Mn	0.6627	0.0637	0.0074	0.0746	0.0074	0.2492
Cd	0.002	0.002	0.002	0.002	0.0091	0.002
Zn	0.0077	0.01	0.0077	0.0077	0.0077	0.0077
Pb	0.0056	0.0056	0.0056	0.0056	0.0056	0.0056
Cu	0.0089	0.0089	0.0089	0.0089	0.0089	0.014
Cr ⁶⁺	0.0032	0.003	0.0041	0.0043	0.0063	0.003
Nitrat	1.178	1.612	2.112	1.061	1.682	1.309
Nitrit	0.0074	0.0342	0.0173	0.0038	0.0073	0.0076
NH ₃	0.0095	0.0016	0.0184	0.0142	0.0077	0.0006
PO ₄	0.118	0.2299	0.3657	0.1821	0.2045	0.2558
COD	21.26	22.8	26.52	24.45	27.08	23.52
BOD	4.2	4.21	5.71	4.67	5.05	4.91
Cl	10.9	11.5	11.7	13.1	14.5	12.6
Ni	0.0083	0.0083	0.0083	0.0083	0.0083	0.0083
Warna	14.26	10.85	16.43	37.7	31.54	30.22
Fluorida	0.3805	0.3124	0.3818	0.6264	0.3657	0.4075
Co	0.0071	0.0071	0.0255	0.0071	0.0126	0.0071

0.67

0.38

0.38

0.1

0.38

0.38