







GRAFIK PARAMETER POS KUALITAS AIR MANGGIS - S.GROMPOL 2022




	pH	TDS	TSS
FEB	7.64	264	171
APR	7.23	252	32.5
JUN	7.74	188	131.4
AGS	7.87	208	56.5
OKT	6.92	262	76.2
NOP	7.4	224	54






	Fe	Mn	Zn	
FEB	1.005	0.7116	0.0077	0.05
APR	0.575	0.6254	0.0139	0.05
JUN	0.007	0.0074	0.0077	0.05
AGS	0.007	0.0074	0.0077	0.05
OKT	0.007	0.0074	0.0151	0.05
NOP	0.263	0.8266	0.0077	0.05






	Cd		Pb		Cu	
FEB	0.001	0.01	0.006	0.03	0.001	0.02
APR	0.001	0.01	0.006	0.03	0.001	0.02
JUN	0.001	0.01	0.006	0.03	0.001	0.02
AGS	0.001	0.01	0.006	0.03	0.001	0.02
OKT	0.001	0.01	0.006	0.03	0.001	0.02
NOP	0.001	0.01	0.006	0.03	0.001	0.02






	Cr heksa		NO <sub>3</sub>		NO <sub>2</sub>	
FEB	0.003	0.05	1.343	10	0.019	0.06
APR	0.0064	0.05	1.742	10	0.0189	0.06
JUN	0.003	0.05	1.38	10	0.0126	0.06
AGS	0.003	0.05	2.006	10	0.006	0.06
OKT	0.0051	0.05	1.383	10	0.0114	0.06
NOP	0.0042	0.05	1.142	10	0.017	0.06






	NH <sub>3</sub>	PO <sub>4</sub>	0.2	COD	25
FEB	0.0098	0.1016	0.2	21.9	25
APR	0.002	0.1238	0.2	21.57	25
JUN	0.0105	0.0776	0.2	23.01	25
AGS	0.0111	0.0756	0.2	23.92	25
OKT	0.0013	0.0983	0.2	23.82	25
NOP	0.0013	0.165	0.2	26.13	25



	BOD		Cl		Ni	
FEB	4.45	3	14.8		0.0083	0.02
APR	4.59	3	11.5		0.0083	0.02
JUN	5.49	3	10.7		0.0227	0.02
AGS	5.08	3	18.2		0.0083	0.02
OKT	4.98	3	17.5		0.0083	0.02
NOP	4.96	3	11.6		0.0083	0.02



	Ca	Fluorida		Co	
FEB	14.92	0.2895	0	0.0071	0
APR	23.17	0.2905	0	0.0251	0
JUN	17.21	0.364	0	0.0148	0
AGS	33.17	0.4648	0	0.0071	0
OKT	33.84	0.4208	0	0.0193	0
NOP	31.06	0.4103	0	0.0071	0



	Feb	Apr	Jun	Ags	Okt	Nov
Temperatur	28.5	28.5	28.2	28.3	28.2	28.9
TDS	264	252	188	208	262	224
TSS	171	32.5	131.4	56.5	76.2	54
pH	7.64	7.23	7.74	7.87	6.92	7.4
Fe	1.005	0.5748	0.007	0.007	0.007	0.263
Mn	0.7116	0.6254	0.0074	0.0074	0.0074	0.8266
Cd	0.002	0.002	0.002	0.002	0.0092	0.002
Zn	0.0077	0.0139	0.0077	0.0077	0.0151	0.0077
Pb	0.0056	0.0056	0.0056	0.0056	0.0056	0.0126
Cu	0.0089	0.0089	0.0089	0.0089	0.0089	0.0089
Cr <sup>6+</sup>	0.003	0.0064	0.003	0.003	0.0051	0.0042
Nitrat	1.343	1.742	1.38	2.006	1.383	1.142
Nitrit	0.0186	0.0189	0.0126	0.006	0.0114	0.0167
NH <sub>3</sub>	0.0098	0.002	0.0105	0.0111	0.0013	0.0013
PO <sub>4</sub>	0.1016	0.1238	0.0776	0.0756	0.0983	0.165
COD	21.9	21.57	23.01	23.92	23.82	26.13
BOD	4.45	4.59	5.49	5.08	4.98	4.96
Cl	14.8	11.5	10.7	18.2	17.5	11.6
Ni	0.0083	0.0083	0.0227	0.0083	0.0083	0.0083
Warna	14.92	23.17	17.21	33.17	33.84	31.06
Fluorida	0.2895	0.2905	0.364	0.4648	0.4208	0.4103
Co	0.0071	0.0251	0.0148	0.0071	0.0193	0.0071
	0.05	0.18	0.22	0.06	0.03	0.08