







GRAFIK PARAMETER POS KUALITAS AIR WD.MULUR - S.JLANTAH 2023




| | pH | TDS | TSS |
|-----|------|------|------|
| FEB | 7.35 | 164 | 37 |
| APR | 6.9 | 1000 | 78 |
| JUN | 7.72 | 164 | 22 |
| AGS | 7.52 | 168 | 23.5 |
| OKT | 7.39 | 188 | 9 |
| NOP | 7.31 | 218 | 133 |






| | Fe | Mn | Zn | |
|-----|--------|--------|--------|------|
| FEB | 0.558 | 0.6943 | 0.0077 | 0.05 |
| APR | 0.007 | 0.0147 | 0.0151 | 0.05 |
| JUN | 0.0218 | 0.0303 | 0.0077 | 0.05 |
| AGS | 0.0416 | 0.0074 | 0.0077 | 0.05 |
| OKT | 0.113 | 0.0074 | 0.0077 | 0.05 |
| NOP | 0.104 | 0.0268 | 0.0077 | 0.05 |






| | Cd | | Pb | | Cu | |
|-----|-------|------|--------|------|--------|------|
| FEB | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |
| APR | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |
| JUN | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |
| AGS | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |
| OKT | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |
| NOP | 0.002 | 0.01 | 0.0056 | 0.03 | 0.0089 | 0.02 |






| | Cr heksa | | NO ₃ | | NO ₂ | |
|-----|----------|------|-----------------|----|-----------------|------|
| FEB | 0.0036 | 0.05 | 0.146 | 10 | 0.009 | 0.06 |
| APR | 0.003 | 0.05 | 1.366 | 10 | 0.0064 | 0.06 |
| JUN | 0.0059 | 0.05 | 0.3466 | 10 | 0.0024 | 0.06 |
| AGS | 0.003 | 0.05 | 0.5004 | 10 | 0.509 | 0.06 |
| OKT | 0.003 | 0.05 | 0.8733 | 10 | 0.0047 | 0.06 |
| NOP | 0.003 | 0.05 | 2.189 | 10 | 0.027 | 0.06 |






| | NH ₃ | PO ₄ | COD | |
|-----|-----------------|-----------------|-------|----|
| FEB | 0.0036 | 0.1105 | 22.03 | 25 |
| APR | 0.0021 | 0.0444 | 25.84 | 25 |
| JUN | 0.0145 | 0.546 | 26.4 | 25 |
| AGS | 0.0043 | 0.1111 | 20.42 | 25 |
| OKT | 0.0046 | 0.0648 | 20.08 | 25 |
| NOP | 0.0049 | 0.0825 | 21.39 | 25 |



| | BOD | | Cl | | Ni | |
|-----|------|---|------|--|--------|------|
| FEB | 5.36 | 3 | 18.7 | | 0.0083 | 0.02 |
| APR | 5.15 | 3 | 13.4 | | 0.0083 | 0.02 |
| JUN | 5.6 | 3 | 16 | | 0.0083 | 0.02 |
| AGS | 4.18 | 3 | 28.7 | | 0.0083 | 0.02 |
| OKT | 3.75 | 3 | 20 | | 0.0083 | 0.02 |
| NOP | 4.03 | 3 | 17.7 | | 0.0083 | 0.02 |



| | Ca | Fluorida | Co |
|-----|-------|----------|--------|
| FEB | 19.77 | 0.2403 | 0.0071 |
| APR | 23 | 13.4 | 0.0382 |
| JUN | 15.88 | 0.3769 | 0.0407 |
| AGS | 5.854 | 0.3462 | 0.0071 |
| OKT | 34.87 | 0.2791 | 0.0071 |
| NOP | 12.07 | 0.4466 | 0.0071 |



| | Feb | Apr | Jun | Ags | Okt | Nov |
|------------------|--------|--------|--------|--------|---------|--------|
| Temperatur | 28.6 | 28.9 | 28.6 | 28.1 | 28.5 | 28.4 |
| TDS | 164 | 1000 | 164 | 168 | 188 | 218 |
| TSS | 37 | 78 | 22 | 23.5 | 9 | 133 |
| pH | 7.35 | 6.9 | 7.72 | 7.52 | 7.39 | 7.31 |
| Fe | 0.558 | 0.007 | 0.0218 | 0.0416 | 0.11299 | 0.104 |
| Mn | 0.6943 | 0.0147 | 0.0303 | 0.0074 | 0.0074 | 0.0268 |
| Cd | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |
| Zn | 0.0077 | 0.0151 | 0.0077 | 0.0077 | 0.0077 | 0.0077 |
| Pb | 0.0056 | 0.0056 | 0.0056 | 0.0056 | 0.0056 | 0.0056 |
| Cu | 0.0089 | 0.0089 | 0.0089 | 0.0089 | 0.0089 | 0.0089 |
| Cr ⁶⁺ | 0.0036 | 0.003 | 0.0059 | 0.003 | 0.003 | 0.003 |
| Nitrat | 0.146 | 1.366 | 0.3466 | 0.5004 | 0.8733 | 2.189 |
| Nitrit | 0.0085 | 0.0064 | 0.0024 | 0.509 | 0.0047 | 0.0269 |
| NH ₃ | 0.0036 | 0.0021 | 0.0145 | 0.0043 | 0.0046 | 0.0049 |
| PO ₄ | 0.1105 | 0.0444 | 0.546 | 0.1111 | 0.0648 | 0.0825 |
| COD | 22.03 | 25.84 | 26.4 | 20.42 | 20.08 | 21.39 |
| BOD | 5.36 | 5.15 | 5.6 | 4.18 | 3.75 | 4.03 |
| Cl | 18.7 | 13.4 | 16 | 28.7 | 20 | 17.7 |
| Ni | 0.0083 | 0.0083 | 0.0083 | 0.0083 | 0.0083 | 0.0083 |
| Warna | 19.77 | 23 | 15.88 | 5.854 | 34.87 | 12.07 |
| Fluorida | 0.2403 | 13.4 | 0.3769 | 0.3462 | 0.2791 | 0.4466 |
| Co | 0.0071 | 0.0382 | 0.0407 | 0.0071 | 0.0071 | 0.0071 |